

Noritake



Dental Ceramic

CERABIEN[™]ZR

High Translucent / Luster Porcelains newly added



Kuraray Noritake Dental Inc.



The Future of Innovative Material Technology

CERABIEN[™] ZR features outstanding chipping resistance, superior fracture resistance and stability due to Kuraray Noritake Dental's materials technology and innovation.

Clinical Data

Survival Analysis of PFZ (with CERABIEN[™] ZR) and PFM (with Noritake Super Porcelain EX-3) posterior crowns

Group	Total # Crowns	Mean Survival (SE) (Days)	Probability of Survival in %
PFZ	1102	2684 (6)	99.2
PFM	1080	2694 (5)	99.3

Fusun Ozer, DMD, PhD others, "A retrospective survey on long-term survival of posterior zirconia and porcelain-fused-to-metal crowns in private practice", Quintessence Int 2014;45:31-28

Coping system: Lava, 3M ESPE; Procera, Nobel Biocare; KATANA[™], Kuraray Noritake Dental Fabricated by one dental laboratory (Cusp, Boston)

"Survival of PFZ (CERABIEN[™] ZR) crowns on posterior teeth did not differ from PFM crowns in the time interval surveyed."


Case 1 / Porcelain Fused to Zirconia Restoration

Example of layering with New Luster and Translucent Shade

Fabrication by Nondas Vlachopoulos, RDT



Preoperative view



Postoperative views

Characterization procedure

Chromatic map by Nondas Vlachopoulos, RDT



KATANA[™] Zirconia

Use CERABIEN[™]ZR with KATANA[™] Zirconia. Color is suitable for frameworks, designed to be used with CERABIEN[™]ZR to achieve highly esthetic prostheses.

Line-up

Mono-colored zirconia for framework HT(High Translucent) / LT(Low Translucent) Multi Layered zirconia for full zirconia restoration UTML(Ultra Translucent Multi Layered) STML(Super Translucent Multi Layered) HTML(High translucent Multi Layered)

Comprehensive Materials for Zirconia Solutions: CERABIEN[™] ZR / CZR Press / CZR Press LF / KATANA[™] Zirconia

Case 2 / Porcelain Fused to Zirconia Restoration Example of layering with New Luster and Translucent Shade

Fabrication by Naoki Hayashi, RDT




Postoperative view

Preoperative view

- :: 1st Ceramic layering
- :: 2nd Ceramic layering



:: Ceramic layering ::



Chromatic map by Naoki Hayashi, RDT

Case 3 / Porcelain Fused to Zirconia Restoration

Fabrication by Oriol De La Mata, RDT



Preoperative view



Postoperative view

Case 4 / Porcelain Fused to Zirconia Restoration



Cad design for Micro layering



Preoperative view

Fabrication by Sung Bin Im, RDT



Postoperative view

Case 5 / Porcelain Fused to Zirconia Restoration




Preoperative view






Postoperative view

Color Combination Table




Margin




Opacious Boby

10g / 50g / 200g



Cervical


10g / 50g / 200g






Creamy White

Clear Cervical




Color Combination Table



Tissue 6 Tissue 7

Modifier



Add-on






Internal Stain



External Stain

3g / (Glaze, FL Glaze, VC Glaze: 10g) / (Glaze: 30g)



FL Glaze is a colorless and transparent glaze powder containing high fluorescence. VC Glaze is a dentine colored glaze.

FC Paste Stain

3g / 5g(Glaze, Clear Glaze)





CERABIEN™ ZR Color Guide

Kuraray Noritake Dental Inc.

300 Higashiyama, Miyoshi-cho, Miyoshi, Aichi 470-0293, Japan

Website www.kuraraynoritake.com

Before using this product, be sure to read the Instructions for Use supplied with the product.
The specifications and appearance of the product are subject to change without notice.
Printed color can be slightly different from actual color.

"KATANA" and "CERABIEN" are treadmarks of NORITAKE CO., LIMITED.